

## DETC2016/DAC-59532

### BRASS INSTRUMENTS DESIGN USING PHYSICS-BASED SOUND SIMULATION MODELS AND SURROGATE-ASSISTED DERIVATIVE-FREE OPTIMIZATION

**Robin Tournemenne**

IRCCyN\*

École Centrale Nantes

1 rue de la Noë, Nantes, France

robin.tournemenne@irccyn.ec-nantes.fr

**Jean-François Petiot**

IRCCyN\*

École Centrale Nantes

1 rue de la Noë, Nantes, France

jean-francois.petiot@irccyn.ec-nantes.fr

**Bastien Talgorn**

GERAD<sup>†</sup> and

Department of Mechanical Engineering

Montréal, Québec, Canada

bastien.talgorn@mail.mcgill.ca

**Michael Kokkolaras**

McGill University

Montréal, Québec, Canada

michael.kokkolaras@mcgill.ca

#### ABSTRACT

*This paper presents a method for design optimization of brass wind instruments. The shape of a trumpet's bore is optimized to improve intonation using a physics-based sound simulation model. This physics-based model consists of an acoustic model of the resonator (input impedance), a mechanical model of the excitor (the lips of a virtual musician) and a model of the coupling between the excitor and the resonator. The harmonic balance technique allows the computation of sounds in a permanent regime, representative of the shape of the resonator according to control parameters of the virtual musician. An optimization problem is formulated, in which the objective function to be minimized is the overall quality of the intonation of the different notes played by the instrument (deviation from the equal-tempered scale). The design variables are the physical dimensions of the resonator. Given the computationally expensive function evaluation and the unavailability of gradients, a surrogate-assisted optimization framework is implemented us-*

*ing the mesh adaptive direct search algorithm (MADS). Surrogate models are used both to obtain promising candidates in the search step of MADS and to rank-order additional candidates generated by the poll step of MADS. The physics-based model is then used to determine the next design iterate. Two examples (with two and five design optimization variables, respectively) are presented to demonstrate the approach. Results show that significant improvement of intonation can be achieved at reasonable computational cost. The implementation of this method for computer-aided instrument design is discussed, considering different objective functions or constraints based on intonation but also on the timbre of the instrument.*

*Keywords: musical acoustics, auto-oscillating system, intonation, mesh adaptive direct search, surrogate models*

#### INTRODUCTION

The study of sound quality and playing properties of musical instruments is critical to improving the design of the latter. This is not a trivial task because sound quality is influenced by objective acoustic characteristics of the instrument and subjec-

---

\*Institut de Recherche en Communications et Cybernétique de Nantes UMR CNRS 6597

<sup>†</sup>Group for Research in Decision Analysis

tive criteria related to players' feelings, tastes and preferences. Two main kinds of studies aim at addressing this issue. On one hand, the quality can be assessed by listeners or players (subjective quality) during evaluation tests [1]. When conducting this kind of tests, it is necessary for the researchers to control precisely the design parameters of the instrument and the testing environment, to assess the reliability of the evaluations, and to define how to deal with inter-individual differences. On the other hand, the quality can be quantified by physical measurements on the instruments (objective quality) [2].

For the brass instruments considered in this paper, the single most important physical measurement that characterizes behavior is the acoustic input impedance of the resonator [2]: it yields the magnitude of the acoustic response to a forced oscillation. It can be either measured or computed with an acoustic model [3], and is a function of the inner shape of the pipe (called the "bore"). For example, the typical input impedance of a trumpet presents several peaks of impedance that represent the acoustic resonances of the pipe (see Figure 1). When




FIGURE 1. Typical input impedance  $Z$  of a Bb trumpet (magnitude), showing the resonances 2, 3, 4, 5 of the instrument

playing, the musician produces a sound whose frequency (i.e., the playing frequency) is close to the resonance frequency of an impedance peak [4]. At first approximation, the playing frequency (which influences intonation) is then mainly governed by the corresponding peak of impedance. The challenge for an instrument maker is to define a bore that will produce notes with precise intonation.

With this in view, many researchers have used an optimization approach to design an instrument's inner shape with a given set of properties concerning input impedance. Kausel used genetic algorithms and the Rosenbrock minimization procedure to optimize the intonation of brass instruments [5]. Different criteria for bore optimization of the trombone can be found in [6]. Noreland used gradient-based algorithms to optimize the into-

nation of horns using a model for impedance calculation that combines a one-dimensional transmission line model with a two-dimensional finite element model [7]. Poirson et al. propose the integration of subjective and objective assessments of designs into the optimization process [8]. A perceptual study has been conducted on a set of trumpets to define the target frequency ratio for the resonances of impedance. However, even if valuable, these approaches focus only on the performance of the instrument alone, neglecting a crucial element in playing an instrument: the musician. The studies of Eveno et al. showed in particular that the relations between the resonance frequencies of the impedance and the actual frequencies of the sounds played by musicians can be significantly different [9]. Although interesting information can be given by the impedance concerning the intonation of an instrument, it is still very difficult to predict the "playability" and sound qualities of brass only based on the impedance.


A second approach in the characterization of a musical instrument is the use of a physics-based model that models not only the instrument, but also its interaction with the musician. In this context, sound simulations by physics-based modeling are interesting because they can simulate the function of instruments in a realistic way, as far as the underlying physics are captured adequately [10]. For example, time domain simulations are presented in [11], where the authors investigate perceptual differences between simulated guitar sounds obtained by modifications of the mechanical parameters of the body. Sound simulations by physics-based modeling constitute a promising means to study and improve the function of musical instruments, but their use is limited when it comes to instrument design [2].

The main objective of this work is to present a new paradigm for the design and optimization of brass musical instruments. The novelty of the approach lies in the integration of sound simulations, obtained from a physics-based model that takes into account the interaction of the instrument with a virtual musician, into the optimization process. To illustrate the approach, we will demonstrate it on a particular brass instrument, the trumpet. The implemented simulation method (the harmonic balance technique [12]) allows the computation of sounds in a permanent regime (auto-oscillations), which is representative of the shape of the resonator according to control parameters of the virtual musician embouchure (the mechanical parameters of the excitatory system). Playing frequencies and the spectra of different notes of the tessitura of a trumpet can then be characterized using these simulations. Various virtual embouchures, that lead to convergence of the system toward auto-oscillations, are considered to produce simulations that are representative of the resonator. Due to the high computational cost of this approach and the difficulty to estimate gradients due to the stochastic nature of the objective function of the optimization problem, a surrogate-assisted optimization framework that utilizes the derivative-free Mesh-Adaptive Direct Search (MADS) algorithm is adopted.

The paper is organized as follows. We first present extended details about the trumpet's function, the physics-based brass model and the simulation technique to clarify the sound simulation method. We then formulate the optimization problem and describe the principles of the MADS algorithm and the framework for surrogate-assisted optimization. Finally, we conduct two case studies concerning the shape optimization of trumpets with two and five design variables, respectively, and draw conclusions.

## TRUMPET MODELING

Brass instruments are wind instruments that produce sounds by the coupling of an excitator (the lips of the musician) to a resonator (the body of the instrument). The main parts of the resonator are the mouthpiece (a short removable piece of metal on which the musicians place their lips), the leadpipe (a roughly conical part, essential to the intonation of the instrument), and the flaring bell (see Figure 2). Three valves are necessary to adjust




**FIGURE 2.** Definition of the main parts of the trumpet: the mouthpiece (in grey), the leadpipe (in black) and the flaring bell

the length of the resonator and to obtain chromatic scales.

The characteristics of a played note and its timbre depend mainly on the inner shape of the resonator (the bore) and, of course, on the musician's technical ability and skill. From a pressure  $P_m$  in the mouth of the musician (typical values measured on trumpet players are from 1 kPa to about 12 kPa), the lips act as a vibrating valve that modulates the air flow into the instrument [2]. The column of air in the instrument vibrates, according to the resonance frequencies of the resonator. A regime of oscillations is created as a result of the complex coupling between the resonator and the lips. It is important to mention that this coupling is the result of the reaction of the resonator on the lips: vibrations of the lips are facilitated at frequencies which correspond to the resonance frequencies of the bore. With the same bore, several notes can be obtained, corresponding to different regimes of oscillations governed by the resonance frequencies. To obtain a chromatic scale (all 12 possible notes included in an octave), the musician uses valves that change the bore length,

thus the resonance frequencies.

From an acoustic point of view, the resonator alone can be characterized by its input impedance  $Z$ , showing the resonance frequencies of the bore (see Figure 1). It represents the response of the instrument in forced oscillations for a given frequency range and shows several peaks (corresponding to resonances) that are used to play the different notes.  $Z$  can be either measured on a real instrument [13] or modeled using an acoustic model of the wave propagation in the resonator. From the definition of the geometry of the resonator, the input impedance can be computed using the transmission line modeling [3]. This model considers the inner shape of the instrument as a concatenation of simple geometries as cylinders, cones, Bessel horns, exponential horns and discontinuities (see Figure 3 for an example of the bore geometry of a trumpet), for which the expressions of the input impedance are explicit with a transfer matrix modeling. The input impedance of the entire instrument is finally computed



**FIGURE 3.** Bore geometry of a trumpet, described as a series of conical and cylindrical segments

by taking the product of the matrices of all the elements (transfer matrix of a horn). The model considered in this paper takes into account plane-wave propagation and visco-thermal losses, but more advanced models with bents, wall energy losses, and multi-modal approaches for flaring-bells could be utilized.

### Physics-based Model

The physics-based model of brass instruments available in the literature is given by

$$p(j\omega) = Z(j\omega)v(j\omega), \quad (1)$$

$$\frac{d^2 H(t)}{dt^2} + \frac{2\pi f_l}{Q_l} \frac{dH(t)}{dt} + (2\pi f_l)^2 (H(t) - H_0) = \frac{P_m - p(t)}{\mu_l}, \quad (2)$$

$$\text{and } v(t) = bH(t) \sqrt{\frac{2(P_m - p(t))}{\rho}}. \quad (3)$$

These three equations represent the behavior of the different parts of the system [2]. They couple three time-varying variables: the opening height  $H(t)$  of the two lips, the volume flow  $v(t)$  and the pressure  $p(t)$ , in the mouthpiece. Equation (1), with the frequency domain notation, describes the acoustic behavior of the resonator. It represents the impedance  $Z$  of the instrument, defined as the ratio of acoustic pressure in the mouthpiece  $p(j\omega)$  to the acoustic volume flow  $v(j\omega)$  entering the instrument. Equation (2) describes the mechanical behavior of the lips of the musician considered as a mechanical oscillator with one degree of freedom. Said degree of freedom is the opening height  $H(t)$  between the two lips ( $H(t) = 0$  is numerically imposed if  $H(t) < 0$ ). Equation (3) describes the coupling between the lips and the trumpet. Obtained by expressing the Bernoulli theorem, it represents a nonlinear coupling between the pressure in the mouthpiece  $p(t)$ , the opening height of the lips  $H(t)$ , and the volume flow  $v(t)$ .

More elaborate models can be developed by refining the description of the system. However, this basic model is sufficient to represent the underlying physics of brass instruments. Several parameters are introduced in this model: (1) the parameters concerning the musician's embouchure are  $P_m$  (the pressure in the mouth),  $f_l$  (the resonance frequency of the lips),  $\mu_l$  (the area density of the lips),  $b$  (the width of the lips),  $H_0$  (the rest value of the opening height of the lips),  $Q_l$  (the quality factor of the resonance of the lips); (2) the input impedance  $Z$  of the trumpet and (3) the air density  $\rho$ . Numerical solutions  $p(t)$  of this system of equations can be computed to simulate the sound created by a given trumpet (defined by its input impedance  $Z$ ) and for a given "virtual musician embouchure" (defined by its control parameters).

### Simulations Using the Harmonic Balance Technique

The harmonic balance technique is a particular method used to obtain numerical solutions of the physics-based model described above. This technique simulates sounds in a permanent regime (steady state) in the frequency domain. The principle is to compute (if it exists) a converging periodic solution of the pressure  $p(t)$  of the system, taking into account a given finite number  $N$  of harmonics in a truncated Fourier series (Equation (4)):

$$p(t) = \sum_{n=1}^N A_n \cos(2\pi n F t + \varphi_n). \quad (4)$$

Assuming that the solution  $p(t)$  of the system of equations is harmonic, the unknown values of the simulations are the am-

plitudes of the harmonics  $A_n$ , the phases  $\varphi_n$ , and the playing frequency  $F$ . A numerical solution  $p(t)$  of the auto-oscillating system satisfying the equations (1), (2) and (3) can be defined if the system converges towards a stable solution (more details can be found in [12]).

### Control Parameters of the Simulations

To perform a sound simulation, it is necessary to define the relevant values (i.e., the values that lead to a convergence towards a steady-state sound for a given note) for the parameters of the musician embouchure (in other words, it is necessary to "teach" the computer how to play the trumpet). For a given note, the experience shows that many embouchures may lead to a steady-state note. The choice of the ranges of the parameters is based both on numerical tests of the simulations and on measurements on real trumpet players. In this study the values of  $b$ ,  $Q_l$ ,  $H_0$  are considered as fixed [14]. The three variables  $P_m$ ,  $\mu_l$  and  $f_l$  are considered as control parameters of the simulations, and constitute the virtual embouchure. As for a real trumpet player, the pressure  $P_m$  in the mouth influences mainly the dynamics of a simulated sound. Since experimental measurements on real musicians provided maximum values around 12 kPa for the pressure in the mouth, the range of values selected in this study runs from 6 kPa to 9 kPa which corresponds roughly to *mezzoforte* (*mf*) dynamics. The values of  $\mu_l$  range from 1 to 6  $kg/m^2$  [14]. Finally, the frequency of the lips  $f_l$  is the parameter that allows the selection of the played regime (note): the higher the value of  $f_l$ , the higher the simulated regime. Exploration tests led to a range for  $f_l$  that spans from 130 Hz to 480 Hz to simulate the 2<sup>nd</sup>, 3<sup>rd</sup>, 4<sup>th</sup> and 5<sup>th</sup> regime of the Bb trumpet with no valve pressed, the regimes considered in this study. These regimes correspond to the musical notes Bb3, F4, Bb4, D5 – concert-pitch, see Figure 4.



FIGURE 4. Musical notation of the notes Bb3, F4, Bb4 and D5 of the Bb trumpet that are simulated in this study

A summary of the values of the control parameter considered in this study are given in Table 1. These values were selected because they generally lead to a convergence of the auto-oscillations toward a periodic solution.

Given that the impedance model is limited in frequency (see Figure 1), it is not relevant to consider many harmonics for the sound simulation. Above 3000 Hz, the magnitude of the

**TABLE 1.** Values of the control parameters for the simulations considered in the study (virtual musician embouchure)

Definition	Notation	Value
Resonance frequency of the lips	$f_l$ (Hz)	130 to 480
Mass per area of the lips	$\mu_l$ ( $kg/m^2$ )	1 to 6
Pressure in the mouth	$P_m$ (kPa)	6 to 9
Width of the lips	$b$ (mm)	10
Rest value of the opening height	$H_0$ (mm)	0.1
Quality factor of the resonance	$Q_l$	3

impedance is flat and no difference between trumpets is noticeable. Therefore, the number  $N$  of harmonics considered for the simulations has been bounded to 3000 Hz. For the two highest notes, Bb4 (466.16 Hz) and D5 (587.33 Hz), this allows roughly the computation of 5 or 6 harmonics. All the sounds have thus been simulated with  $N=6$  harmonics. In conclusion, for a given trumpet (characterized by its input impedance  $Z$ ) and for a virtual musician embouchure (characterized by the parameters  $P_m$ ,  $\mu_l$ ,  $f_l$ ,  $b$ ,  $H_0$  and  $Q_l$ ), the simulations generate 1 note, corresponding to one of the regimes 2, 3, 4 and 5 of the trumpet. Each note is characterized by its playing frequency  $F$  and by the amplitudes and phases of its 6 first harmonics.

## OPTIMIZATION PROBLEM FORMULATION


The design optimization problem of an instrument can be formulated as

$$\min_{\mathbf{x} \in \Omega} J(\mathbf{x}), \quad (5)$$

where  $J : \mathbb{R}^n \rightarrow \mathbb{R}$  is the objective function, and  $\mathbf{x}$  represents the design parameters of the instrument. The design space  $\Omega$  is a subset of  $\mathbb{R}^n$  delimited by box (bound) constraints. Specifically, the optimization variables are the geometric parameters that define the inner shape of the bore (see Figure 3). To facilitate the input impedance calculations, the bore is approximated by a series of conical and cylindrical waveguide segments. Consequently,  $\mathbf{x}$  is a vector of geometric quantities such as the lengths and radii of cylinders or cones.  $\Omega$  corresponds to constraints applied on  $\mathbf{x}$  to obtain viable trumpet shapes. The objective function  $J$  is a criterion that represents the intonation of the instrument: it is computed from the playing frequencies  $F$  produced by the simulations for the different regimes of the instrument (see Figure 5).

## Computation of the Objective Function

The flowchart of the process for optimizing the shape of a trumpet bore using physics-based sound simulations is depicted in Figure 5. The input impedance is computed based on the de-



**FIGURE 5.** Flowchart of the optimization process

sign vector  $\mathbf{x}$  representing the resonator's geometry. The harmonic balance technique simulates  $P$  different notes based on the calculated input impedance  $Z(\mathbf{x})$  and some virtual embouchures chosen in a set  $\varphi$  of possible embouchures (see next paragraph for their definition). While various virtual embouchures are considered, only the ones that lead to convergence of the system toward auto-oscillations are selected. This selection process is a crucial step in the method and is described in more detail in the next paragraph.

For each note  $i$ , the average (across different embouchures) playing frequency  $\overline{F}_i(\mathbf{x}, \varphi)$  is computed. The intonation of the note is assessed by the deviation of the expected playing frequency from the actual playing frequency as simulated using the physics-based model. To compute this deviation, the cent logarithmic unit is used because it is standard to compare musical pitches (there are no scaling issues), given that human perception of pitches is based on frequency ratios (one cent corresponds to a frequency ratio equal to a hundredth of a semitone). To compute this deviation, a reference (tuning) note and a reference scale (considered as the correct intonation) are necessary. Trumpet players tune generally their instrument on the 4<sup>th</sup> regime of the trumpet with no valve pressed (Bb4, concert pitch), so it is used as the reference note. The equal-tempered scale (which means that the octave is divided in 12 equal semi-tones) is chosen as the reference scale given its worldwide use in occidental music. While it is possible to consider customized musical temperament for a particular trumpet player, such consideration is beyond the scope of this paper. For every note  $i$ , the equal-tempered deviation between the average frequency of the  $i^{\text{th}}$  note,  $\overline{F}_i(\mathbf{x}, \varphi)$ , and the reference frequency  $\overline{F}_{ref}(\mathbf{x}, \varphi)$  is given by

$$ETD(\mathbf{x}, i, \varphi) = \alpha_{ref \rightarrow i} - 1200 \cdot \log_2 \left( \frac{\overline{F}_i(\mathbf{x}, \varphi)}{\overline{F}_{ref}(\mathbf{x}, \varphi)} \right), \quad (6)$$

where  $\alpha_{ref \rightarrow i}$  is the difference between the reference note  $ref$  and the targeted note  $i$  given by the equal-tempered scale (-500 cents for example between Bb4 and F4 between which the interval is a descending fourth). The objective function  $J(\mathbf{x}, \varphi)$  for the whole instrument is the average of the absolute deviation across the  $(P-1)$  notes (note that the deviation between the reference note and the 4<sup>th</sup> note is always equal to zero):

$$J(\mathbf{x}, \varphi) = \frac{\sum_{i \in \text{Notes}} |ETD(\mathbf{x}, i, \varphi)|}{P-1}. \quad (7)$$

The main challenge in the proposed approach lies in the convergence of the simulations toward auto-oscillations. This refers to the instability of nonlinear systems for which no theoretical solutions are available. For a given instrument geometry, appropriate virtual embouchures must be selected to ensure that the simulations converge toward a sound in a permanent regime. Furthermore, similar to an inexperienced player that would blow a trumpet with a terrible sound, the virtual embouchure must be carefully selected in order to produce realistic sounds. A preprocessing of the simulations is thus necessary to obtain, for different geometries of instruments, a set of appropriate embouchures that converge toward realistic sounds. To that end, a criterion has been defined to represent the amplitude of the simulated sound relatively to the pressure in the mouth. If the amplitudes of the harmonics are large enough relative to the mouth pressure  $P_m$  produced by the virtual musician, the embouchure is considered appropriate. For a given note, a sound is considered realistic if

$$\frac{\sqrt{\sum_{i=1}^6 A_i^2}}{P_m} \geq \text{Threshold}. \quad (8)$$

An exploration of the design space according to the embouchure parameters is carried out to determine the threshold for each note and to build a map of appropriate embouchure–geometry couples. If  $\mathbf{x}$  is in  $\mathbb{R}^2$ , the space to explore has 5 dimensions: 2 geometric variables and 3 embouchure variables ( $P_m, \mu_l, f_i$ ). To explore this space, a five-dimensional Latin hypercube is built and every sample is simulated. This constitutes the preprocessing of the parameters of the simulations. The thresholds are adjusted to select 10% of the simulated sounds for a given note. A map of appropriate embouchure–geometry couples is drawn from the previously selected sounds (using a Gaussian mixture model that fits the distribution).

It is important to mention that the average playing frequency  $\bar{F}_i(\mathbf{x}, \varphi)$  is an average value across a finite set of embouchures. Furthermore, this set of embouchures is not deterministic, given that the preprocessing determination of appropriate embouchures is stochastic (random sampling using the Gaussian mixture model). The consequence is that the objective function  $J(\mathbf{x})$  is not deterministic (two consecutive calculations may

give different results). In practice, a set of 100 embouchures is simulated to provide an estimation of  $\bar{F}_i(\mathbf{x}, \varphi)$  for one note. To compute the value of the objective function from one specific value of  $\mathbf{x}$ , it takes a CPU time of about 11 minutes using a 1.7 GHz Intel Core i7 with 8 Go 1600 MHz DDR3 Ram on OS X.

## SURROGATE-ASSISTED DERIVATIVE-FREE OPTIMIZATION METHODOLOGY

Since the objective function is the result of a stochastic simulation, derivatives are not available and cannot be approximated reliably. Therefore, we use a rigorous derivative-free algorithm with convergence properties, MADS [15–17], available via the NOMAD software. This algorithm is based on the search-and-poll paradigm introduced in [18]. The search step can implement any user-defined method to obtain promising candidates. The poll step determines candidates around the incumbent solution; it ensures the convergence of the algorithm towards a local optimum. In this work, we use a variation of the surrogate-assisted optimization framework proposed in [19]. The basic idea is that we use surrogate models of the “true” physics-based sound simulation model to i) formulate and solve a surrogate problem in the search step to obtain a promising candidate and ii) rank-order the candidates generated by the poll step. We then use the “true” physics-based sound simulation model to evaluate opportunistically all these candidates in order to determine the next iterate.

### Mesh Adaptive Direct Search

At each iteration  $k$  of the MADS algorithm, the trial points must lie on a mesh  $M_k$  defined as

$$M_k = \{\mathbf{x} + \Delta_k^m D\mathbf{z} : \mathbf{z} \in \mathbb{N}^{n_D}, \mathbf{x} \in \mathbf{X}_k\} \subset \mathbb{R}^n, \quad (9)$$

where  $\Delta_k^m$  is the mesh size parameter, the columns of  $D \in \mathbb{R}^{n \times n_D}$  form a positive spanning set of  $n_D$  directions in  $\mathbb{R}^n$  [17], and  $\mathbf{X}_k = \{\mathbf{x}_1, \mathbf{x}_2, \dots, \mathbf{x}_p\} \subset \mathbb{R}^n$  denotes the set of points already evaluated.

During each search step, an ensemble of surrogate models of the “true” physics-based sound simulation model use to evaluate the objective function  $J$  is built using previous evaluations. The considered ensemble of surrogate models is described in the next section. The best surrogate model is selected, and a second instance of MADS is used to obtain the design that minimizes it. This design is then projected on the mesh  $M_k$  and evaluated using the “true” physics-based sound simulation model. If this candidate leads to an improvement of the solution, the surrogate model ensemble is updated, and the search is repeated. Otherwise, the algorithm continues with the poll step.

During each poll step, the poll set is defined as  $P_k = \{\mathbf{x}_k + \Delta_k^p \mathbf{d}, \mathbf{d} \in D_k\}$ , where  $D_k$  is a set of normalized directions such that these directions are positively spanning of  $\mathbb{R}^n$  such that  $P_k \subset M_k$ ;

the interested reader can refer to [15] for details. The poll set is then sorted using the surrogate model, and the points are evaluated using the “true” physics-based sound simulation model in an opportunistic manner, which means that the evaluation of  $P_k$  is interrupted if a candidate leads to an improvement of the solution. In this case, the mesh and poll size parameters are increased so that the algorithm progresses faster toward a better solution. Otherwise, these parameters are reduced, which means that the next poll will look for trial points in a closer neighborhood. A fundamental aspect of the MADS algorithm is that the mesh size decreases faster than the poll size, which means that the set of polling direction becomes dense in  $\mathbb{R}^n$  once normalized (see Figure 6).




FIGURE 6. MADS poll and mesh sizes for a two-dimensional problem

## Surrogate Models

To build a robust and accurate surrogate model of the “true” objective function, we rely on an ensemble of surrogate models [20–22]. At the beginning of each search step, 17 different surrogate models (see Table 2) are built. For each of these models, an error metric is computed to enable the selection of the best model. The selected model is then used in the search step to provide an interesting candidate and in the poll step to order the poll candidates.

The rationale behind updating all surrogates at every iteration is that the best model can vary. The surrogates are built using three different modeling techniques: Polynomial Response Surfaces (PRSs) [22–24], Kernel Smoothing (KS) [22, 25], and Radial Basis Functions (RBFs) [22–24, 26, 27]. For each of these modeling methods, previously generated data  $[\mathbf{X}, J(\mathbf{X})]$  are used to build a surrogate  $\hat{J}$  of the function  $J$ .

TABLE 2. List of surrogate models built during the search step

#	Model type	Degree	Ridge param. $\lambda$	Distance param. $r$	Kernel $\phi(d)$	
1	PRS	1	0	N.A.	N.A.	
2		1	1/1000			
3		2	0			
4		2	1/1000			
5		3	0			
6		6	1/1000			
7	RBF	1	1/1000	0.3	$e^{-r^2 d^2}$	
8				1.0		
9				3.0		
10				10.0		
11				N.A.		$d$
12				N.A.		$d \log(d)$
13	KS	N.A.	N.A.	0.1	$e^{-r^2 d^2}$	
14				0.3		
15				1.0		
16				3.0		
17				10.0		

**Polynomial Response Surfaces** A PRS model is a linear composition of polynomial basis functions

$$\hat{J}(\mathbf{x}) = \sum_{j=1}^q c_j h_j^{PRS}(\mathbf{x}), \quad (10)$$

where the coefficients  $\mathbf{c} = \{c_j\}_{j=1,\dots,q} \in \mathbb{R}^q$  are computed by Ordinary Least Squares (OLS) to minimize

$$\sum_{i=1}^p (J(\mathbf{x}_i) - \hat{J}(\mathbf{x}_i))^2 + \lambda \sum_{j=1}^q c_j^2, \quad (11)$$

where  $\lambda$  is a ridge parameter (typically,  $\lambda = 0.001$ ), which allows to regularize the OLS system, especially when the number of training points is smaller than the number of basis functions. The degree of the PRS defines the maximum degree of the polynomials  $\{h_j^{PRS}\}_{j=1,\dots,q}$ , which are chosen to form a basis of the polynomial vector space for that given degree.

Since the objective function is not smooth, a PRS of high degree may have a tendency to over-fit the data. In other words, a higher PRS degree may lead to a higher cross-validation error. The ridge parameter can be fine-tuned to minimize cross-validation error, but this process is time-expensive. In this study, the accuracy of the surrogate is attained by building several models rather than by fine-tuning their parameters. For this reason, surrogates 1-6 in Table 2) are PRS models of various degrees and ridge parameter values.

**Radial Basis Functions** RBF models are linear combinations of PRS basis functions and radial basis functions

$$\hat{J}(\mathbf{x}) = \sum_{j=1}^{q^{PRS}} c_j^{PRS} h_j^{PRS}(\mathbf{x}) + \sum_{j=1}^{q^{RBF}} c_j^{RBF} h_j^{RBF}(\mathbf{x}). \quad (12)$$

Unlike most RBF model formulations [22,26,27],  $q^{RBF}$  is chosen so that  $q^{RBF} + q^{PRS} \leq p$  which means that there is not one radial basis function per training point, and that this model does not necessarily match the value of  $J$  at the training points. However, this allows to limit the number of basis functions and the time necessary to compute the coefficients of the model. As for PRS models, these coefficients are computed by minimizing the error described in Equation (11). Consequently, for RBF models, the ridge parameter and the degree of the PRS must be specified as parameters of the model (see Table 2). In this work, the degree of the PRS in an RBF model is always 1. The functions  $h_j^{RBF}$  are radial basis functions of the form  $h_j^{RBF}(\mathbf{x}) = \phi(\|\mathbf{x}, \mathbf{x}_j^s\|)$  where the points  $\{\mathbf{x}_j^s\}_{j=1, \dots, q^{RBF}}$  are a subset of  $\mathbf{X}$  selected greedily to maximize the distance between the points within this subset. The function  $\phi(d)$  is either a Gaussian kernel of shape parameter  $r$ , (models 7 to 10) or an harmonic spline of order 1 or 2 (models 11 and 12, respectively) [26].

**Kernel Smoothing** The Kernel Smoothing prediction in  $\mathbf{x}$  is a weighted average of all observations  $J(\mathbf{X})$ , where the weight assigned to an observation decreases when its distance from  $\mathbf{x}$  increases. Formally, we have

$$\hat{J}(\mathbf{x}) = \frac{\sum_{j=1}^p w_j(\mathbf{x}) J(\mathbf{x}_j)}{\sum_{j=1}^p w_j(\mathbf{x})}, \text{ where } w_j(\mathbf{x}) = \phi(\|\mathbf{x} - \mathbf{x}_j\|_2). \quad (13)$$

As for some of the RBF models,  $\phi$  is a Gaussian kernel  $\phi(d) = \exp(-r^2 d^2)$ , where  $r$  is a shape parameter that controls the amount of smoothing in the model.

**Selection of the Best Surrogate Model** Two error metrics are considered in this work to select the best surrogate

model. The first metric is the Leave-One-Out Cross-Validation Root Mean Square Error (also named PRESS [28–30]):

$$E_{PRESS} = \sqrt{\frac{1}{p} \sum_{i=1}^p (J(\mathbf{x}_i) - \hat{J}^{(-i)}(\mathbf{x}_i))^2}, \quad (14)$$

where  $\hat{J}^{(-i)}$  is the model built by leaving out the observation  $[\mathbf{x}_i, J(\mathbf{x}_i)]$ . This error metric allows to quantify not only the error of the model on the training point but also its predictive error. The second error metric, inspired by [31], is the Leave-One-Out Cross-Validation Order Error (OE-CV) which is based on the assumption that the error between  $y$  and  $\hat{J}$  is less important than the ability of the model to correctly order two candidates. This metric is defined as

$$E_{OE-CV} = \frac{1}{p^2} \sum_{i,j} (J(\mathbf{x}_i) \leq J(\mathbf{x}_j) \text{ xor } \hat{J}^{(-i)}(\mathbf{x}_i) \leq \hat{J}^{(-j)}(\mathbf{x}_j)), \quad (15)$$

where xor is the logical “exclusive or” operator. In other words, the error will be high if there are many couples  $(\mathbf{x}_i, \mathbf{x}_j)$  for which the sign of  $J(\mathbf{x}_i) - J(\mathbf{x}_j)$  is different from that of  $\hat{J}^{(-i)}(\mathbf{x}_i) - \hat{J}^{(-j)}(\mathbf{x}_j)$ . The value of  $E_{OE-CV}$  is bounded by  $[0, 1]$ . We observe that if  $E_{OE-CV} > 1/2$ , then  $\hat{J}$  is less accurate than its opposite function.


## EXAMPLES

Two design problems are considered: one with two design optimization variables (2-d) and one with five (5-d). For the 2-d problem, an exhaustive computation of the objective function on a fine discretization of the design space is tractable. It is therefore possible to assess the quality of the optimal solution with respect to the global optimum obtained using the exhaustive enumeration. The 5-d problem corresponds to a more realistic design problem. For both problems, the initial guess  $\mathbf{x}_{init}$  corresponds to the geometry of the Yamaha 6335 trumpet (measured using balls and calipers). The optimal bores are compared to this geometry to assess the quality of the results. However, the exact bore geometry of the Yamaha trumpet is not available due to proprietary issues. The comparison is thus made relative to an approximate measurement of this trumpet. We assign a budget of 100 objective function evaluations using the “true” physics-based sound simulation model to both problems to investigate the performance of the optimization methodology at reasonable computational cost (approximately 1,200 CPU minutes).

### Design Optimization Problem with 2 Variables

The design variables concern two diameters of the leadpipe of a Bb trumpet, an important part of the bore that connects the

mouthpiece to the tuning slide (see Figure 2). This part, roughly conical, has a significant influence on the intonation and timbre of the instrument [10]. The impact of the two design variables on the geometry of the bore is illustrated in Figure 7. The first




**FIGURE 7.** Representation of the leadpipe inner radius along the instrument axis; each color corresponds to the optimum provided by one of the 4 methods and the black dotted line to the initial geometry (measured on the Yamaha trumpet)

adjustable radius (axial position of 0.16m) spans from 4mm to 5.8mm while the second (axial position of 0.24m) spans from 4.8mm to 6.6mm. The rest of the trumpet corresponds to measurements made on a Yamaha 6335 trumpet with a Yamaha 15C4 mouthpiece (see Figure 3 for the complete bore profile).


A single evaluation of the objective function  $J(x)$  over the entire discretized design space (with a granularity of 0.01mm) is plotted in Figure 8. The objective function has a global optimum of 3 cents at  $x = [4.8 \ 5.5]$  (in mm). The maximum of  $J(x)$  in the design space is 27 cents. The leadpipe geometry corresponding to the initial point (Yamaha trumpet) is represented by a black dotted line in Figure 7. Its position on the objective function surface is denoted by the black cross on Figure 8.

Four optimization strategies are tested. The ones nicknamed “None” and “Quad” use the official NOMAD release 3.7.2 where the search step is omitted or where it employs local quadratic surrogate models, respectively. The strategies based on the use of the ensemble of surrogates tested with the two error metrics are named after the error metric, i.e., “PRESS” and “OE-CV”.

The history plot of the objective function for each optimization strategy is shown in Figure 9. The best objective is obtained using “PRESS”; detailed intonation improvements obtained with this strategy are shown in Figure 10. The optimal objective function value is 1.6 cents at  $x = [4.65 \ 5.6]$  (in mm). The average intonation improvement is 3.4 cents, which is below the just noticeable difference (JND) in pitch (5 cents). Nevertheless, it is important to mention that the intonation improvements on the 3<sup>rd</sup>




**FIGURE 8.** Exhaustive computation of the objective function for the two-dimensional design example; the black cross denotes initial geometry; the other dots denote the optimizers of the 4 employed strategies



**FIGURE 9.** Evolution of the objective in the 2-d problem

and 5<sup>th</sup> notes are greater than 5 cents, which is above the JND. The performance gains provided by the simulations are then certainly audible. Note that the deviation of the 4<sup>th</sup> note is zero because this note is chosen as the tuning reference. The 100 evaluations took around 20 hours on a 1.7 Ghz Intel Core i7 with 8 Go 1600 MHz DDR3 Ram on OS X for all four strategies.



**FIGURE 10.** Details of the intonation improvements obtained using the PRESS method for the 2-d case; the dark blue columns correspond to the initial geometry while the thinner cyan columns correspond to the optimum; the left column is the objective function value while the 4 other columns represent the detailed absolute value of the ETDs


### Design Optimization Problem with 5 Variables

The five design variables concern the leadpipe and the mouthpiece. On the leadpipe, five parts of equal length ( $l=44\text{mm}$ ) are considered. The design variables are the inner radii of the leadpipe at the connection between two parts (4 variables out of 6 control points because the initial and last control points are respectively fixed to 4.8 and 5.6mm). This 4 inner radii values span from 3.8 to 6.6 mm. The last variable corresponds to the depth of the mouthpiece (length of the cylinder before the cup of the mouthpiece) which spans from 0 to 6mm. The rest of the trumpet is as in the 2-d example.


The performance of the 4 strategies is presented in Figure 11 as for the 2-d problem. The OE-CV strategy yields the best design. The optimal objective function value is 0.7 cents improving the overall intonation by 6.7 cents. The detailed intonation improvements obtained with this method are shown in Figure 12 and the final optimum is  $\mathbf{x}=[2.62 \ 5.93 \ 3.95 \ 5.97 \ 6]$  (in mm).

### Discussion

The results are very promising and show significant improvements in the intonation of the instrument in both cases. The solution of the 2-d problem improves the objective by up to 66%. For the 5-d problem the objective is improved by up to 90%. The optimizers of the 2-d problem, which is quite interesting from the instrument maker's point of view, are close to the global optimizer as can be seen in Figure 8. This demonstrates that the algorithm formulations converge toward the minimum (recall that



**FIGURE 11.** Evolution of the objective in the 5-d problem



**FIGURE 12.** Details of the intonation improvements of the OE-CV algorithm for the 5-d case; the dark blue columns correspond to the initial geometry while the thinner cyan columns correspond to the optimum design; the left column is the objective function value while the 4 other columns represent the detailed absolute value of the ETDs

the computation budget was limited to 100 “true” model function evaluations). The ensemble surrogate strategies are the most successful in both cases (“PRESS” for the 2-d and “OE-CV” for the 5-d). From the acoustics point of view, it is comforting to observe that for the 5-d problem, the optimum improves the intonation of every note. For the 2-d problem, even if the 2<sup>nd</sup> note plays less in tune, the overall intonation is homogeneous and greatly improved. The optimal designs for the 2-d problem are plausible. For the 5-d problem, the optimum is a bit counterintuitive since the leadpipe does not have a positive slope along the whole trumpet axis (the diameter at the first control point, 5.93mm, is larger

than at the previous and next control point, respectively 4.8mm and 3.95mm). This kind of form for a leadpipe is not common among trumpets because they are very difficult to manufacture. It is remarkable to note that the optimization algorithm was able to explore the design space in order to find interesting exotic designs which significantly improve the instrument intonation. Finally, the 3 additional degrees of freedom considered in the 5-d problem seem to improve the capability of the algorithm to find a better optimum.

## CONCLUSIONS

This work proposes a new paradigm for design optimization of brass instruments. The originality of the approach lies in the fact that the objective function is not limited to a characterization of the instrument alone, but is based on the complex interaction between the instrument and the musician. The main challenge consists in the integration of physics-based simulations in an iterative optimization loop, which requires that simulations converge toward auto-oscillations for every considered point of the design space. This property is ensured by means of a pre-processing step of the virtual embouchures of the musician and a stochastic approach that assesses the objective function using a Monte Carlo method. The sound simulations are conducted using a physics-based model that relies on the harmonic balance technique. This allows to define the objective function by computing the global instrument's intonation for a set of different virtual embouchure. The MADS optimization algorithm is used, and different formulations of the surrogate-based search step have been tested to improve its efficiency. The results are encouraging both from an acoustics and from an algorithmic point of view. The intonation improvements are significant, and the obtained optimal designs are rational.

This work can be extended in many directions. Regarding acoustics, more design variables can be considered, in particular with respect to the mouthpiece. One could modify its thinnest radius and the length proportion between the hemisphere and the divergent cone. Another direction considers the objective function. Since a sound in a permanent regime provides us with the amplitudes of the harmonics, objective functions based on the instrument timbre can be formulated. The influence of some embouchure parameters on the optimal solutions can also be considered, for example the intonation variations under a modification of the embouchure's dynamics. As several sound quality descriptors are available, a bi-objective optimization or an optimization of one descriptor subject to constraints based on some other descriptors would be a natural consideration. In particular, it would be interesting to investigate a timbre descriptor under an intonation constraint, because trumpeters may be able to accept a slightly out-of-tune trumpet if its "global" sound is outstanding. Concerning the optimization process, it may be interesting to use the two metrics "PRESS" and "OE-CV" for aggregating different

models instead of selecting only one. Moreover, if constrained problems are considered, an ensemble of models may be very effective for selecting different surrogates for different functions (objective and constraints).

## ACKNOWLEDGMENTS

The authors are grateful to Dr. Joël Gilbert for sharing his expertise on brass instrument acoustics, the NOMAD team (Prof. Charles Audet, Prof. Sébastien Le Digabel and Dr. Christophe Tribes), Prof. Saïd Moussaoui for his help with the optimization problem formulation and Prof. Jean-Pierre Dalmont for his precious help with the input impedance models. B. Talgorn and M. Kokkolaras are grateful for the partial support of FRQNT grant 2015-PR-182098; this support does not constitute an endorsement of the opinions expressed in this paper.

## REFERENCES

- [1] Fritz, C., and Dubois, D., 2015. "Perceptual evaluation of musical instruments: state of the art and methodology". *Acta Acustica united with Acustica*, **101**, pp. 369–381.
- [2] Campbell, M., 2004. "Brass instruments as we know them today". *Acta Acustica united with Acustica*, **90**(4), pp. 600–610.
- [3] Causse, R., Kergomard, J., and Lurton, X., 1984. "Input impedance of brass musical instruments: comparisons between experiment and numerical models". *The journal of the Acoustical Society of America*, **75**, pp. 241–254.
- [4] Benade, A. H., 1966. "Relation of air-column resonances to sound spectra produced by wind instruments". *The journal of the Acoustical Society of America*, **40**, pp. 247–249.
- [5] Kausel, W., 2010. "Optimisation of wind instruments revisited". *The journal of the Acoustical Society of America*, **86**(1), pp. 35–41.
- [6] Braden, A. C. P., Newton, M. J., and Campbell, D. M., 2009. "Trombone bore optimization based on input impedance targets". *The journal of the Acoustical Society of America*, **125**, pp. 2404–2412.
- [7] Noreland, D., 2013. "A gradient based optimisation algorithm for the design of brass-wind instruments". *PhD thesis, Uppsala University*.
- [8] Poirson, E., Petiot, J. F., and Gilbert, J., 2007. "Integration of user perceptions in the design process: application to musical instrument optimization". *ASME Journal of Mechanical Design*, **129**, pp. 1206–1214.
- [9] Eveno, P., Petiot, J. F., Gilbert, J., Kieffer, B., and Causse, R., 2014. "The relationship between bore resonance frequencies and playing frequencies in trumpets". *Acta Acustica united with Acustica*, **100**(2), pp. 362–374.
- [10] Woodhouse, J., Manuel, K. Y., Smith, A., Wheble, A. J. C., and Fritz, C., 2012. "Perceptual thresholds for acoustical

- guitar models”. *Acta Acustica united with Acustica*, **99**(4), pp. 629–641.
- [11] Petiot, J. F., and Gilbert, J., 2013. “Comparison of trumpets’ sounds played by a musician or simulated by physical modelling”. *Acta Acustica united with Acustica*, **98**, pp. 475–486.
- [12] Gilbert, J., Kergomard, J., and Ngoya, E., 1989. “Calculation of the steady-state oscillations of a clarinet using the harmonic balance technique”. *The journal of the Acoustical Society of America*, **86**(1), pp. 35–41.
- [13] Dalmont, J. P., and Le Roux, J. C., 2008. “A new impedance sensor for wind instruments”. *The journal of the Acoustical Society of America*, **125**(5), pp. 3014–3014.
- [14] Cullen, J., Gilbert, J., and Campbell, M., 2000. “Brass instruments: Linear stability analysis and experiments with an artificial mouth”. *Acta Acustica united with Acustica*, **86**(4), pp. 704–724.
- [15] Audet, C., and Dennis, Jr., J. E., 2006. “Mesh adaptive direct search algorithms for constrained optimization”. *SIAM Journal on Optimization*, **17**(1), pp. 188–217.
- [16] Audet, C., Ianni, A., Le Digabel, S., and Tribes, C., 2012. Reducing the number of function evaluations in mesh adaptive direct search algorithms. Tech. Rep. G-2012-43, Les cahiers du GERAD.
- [17] Le Digabel, S., 2011. “Algorithm 909: NOMAD: Nonlinear optimization with the MADS algorithm”. *ACM Transactions on Mathematical Software*, **37**(4), pp. 44:1–44:15.
- [18] Booker, A. J., Dennis, Jr., J. E., Frank, P. D., Serafini, D. B., Torczon, V., and Trosset, M. W., 1999. “A rigorous framework for optimization of expensive functions by surrogates”. *Structural and Multidisciplinary Optimization*, **17**(1), pp. 1–13.
- [19] Tälborn, B., Le Digabel, S., and Kokkolaras, M., 2015. “Statistical surrogate formulations for simulation-based design optimization”. *ASME Journal of Mechanical Design*, **137**(2), pp. 021405–1–021405–18.
- [20] Goel, T., Haftka, R. T., Shyy, W., and Queipo, N. V., 2007. “Ensemble of surrogates”. *Structural and Multidisciplinary Optimization*, **33**(3), Mar., pp. 199–216.
- [21] Viana, F. A. C., Haftka, R. T., Steffen, J. V., Butkewitsch, S., and Leal, M. F., 2008. “Ensemble of surrogates: a framework based on minimization of the mean integrated square error”. In 49th AIAA/ASME/ASCE/AHS/ASC Structures, Structural Dynamics, and Materials 7 - 10 April 2008, Schaumburg, IL.
- [22] Acar, E., and Rais-Rohani, M., 2008. “Ensemble of meta-models with optimized weight factors”. *Structural and Multidisciplinary Optimization*, **37**(3), pp. 279–294.
- [23] Müller, J., and Piché, R., 2011. “Mixture surrogate models based on dempster-shafer theory for global optimization problems”. *Journal of Global Optimization*, **51**(1), pp. 79–104.
- [24] Queipo, N., Haftka, R., Shyy, W., Goel, T., Vaidyanathan, R., and Tucher, P., 2005. “Surrogate-based analysis and optimization”. *Progress in Aerospace Sciences*, **41**(1), Jan., pp. 1–28.
- [25] Hastie, T., Tibshirani, R., and Friedman, J., 2001. *The Elements of Statistical Learning*. Springer Series in Statistics. Springer New York Inc., New York, NY, USA.
- [26] Buhmann, M., 2003. *Radial Basis Functions: Theory and Implementations*. Cambridge Monographs on Applied and Computational Mathematics. Cambridge University Press.
- [27] Viana, F. A., Haftka, R. T., and Watson, L. T., 2013. “Efficient global optimization algorithm assisted by multiple surrogate techniques”. *Journal of Global Optimization*, **56**(2), pp. 669–689.
- [28] Goel, T., and Stander, N., 2009. “Comparing three error criteria for selecting radial basis function network topology”. *Computer Methods in Applied Mechanics and Engineering*, **198**(27-29), pp. 2137–2150.
- [29] Varma, S., and Simon, R., 2006. “Bias in error estimation when using cross-validation for model selection”. *BMC Bioinformatics*, **7**, p. 91.
- [30] Viana, F. A. C., Picheny, V., and Haftka, R. T., 2009. “Conservative prediction via safety margin: Design through crossvalidation and benefits of multiple surrogates”. In Proceedings of the ASME 2009 International Design Engineering Technical Conferences and Computers and Information in Engineering Conference.
- [31] Bélisle, E., Huang, Z., Le Digabel, S., and Gheribi, A. E., 2015. “Evaluation of machine learning interpolation techniques for prediction of physical properties”. *Computational Materials Science*, **98**(0), pp. 170–177.